		CASI				09,550
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5748738".pn. OR "6091835".pn.	USPAT	OR	OFF	2004/08/02 11:46
S2	3873	process WITH validat\$4	USPAT	OR	OFF	2004/08/02 11:57
S3	250804	part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)	USPAT	OR	OFF	2004/08/03 13:36
S4	4783	(authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)	USPAT	OR	OFF	2004/08/02 12:00
S5	176	(process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))	USPAT	OR	OFF	. 2004/08/02 12:00
S6	0	((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)) SAME ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))	USPAT	OR	OFF	2004/08/02 12:01
S7	19	((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)) AND ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))	USPAT	OR	OFF	-2004/08/02 12:00
S8	4783	((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)) SAME3	USPAT	OR	OFF	2005/02/09 10:11
S9	67	((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))	USPAT	OR	OFF	2004/08/02 12:05
S10	441	713/168.ccls.	USPAT	OR	OFF	2004/08/02 12:05
S11	302	700/95.ccls.	USPAT	OR	OFF	2004/08/02 12:05
S12	350	700/97.ccls.	USPAT	OR	OFF	2004/08/02 12:06
S13	267	700/180.ccls.	USPAT	OR	OFF	2004/08/02 12:06
S14	198	700/231.ccls.	USPAT	OR	OFF	2004/08/02 12:06
S15	361	703/1.ccls.	USPAT	OR	OFF	2004/08/02 12:06
S16	489	705/27.ccls.	USPAT	OR	OFF	2004/08/02 12:06
S17	210	705/75.ccls.	USPAT	OR	OFF	2004/08/02 12:06
S18	1441	345/419.ccls.	USPAT	OR	OFF	2004/08/02 12:07
S19	85	345/961.ccls.	USPAT	OR	OFF ·	2004/08/02-12:07
S20	250804	(part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))	USPAT	OR	OFF	2004/08/02 12:07

S21	101	713/168.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:09
S22	135	700/95.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08
S23	185	700/97.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08
S24	75	700/180.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08
S25	22	700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08
S26	118	703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08
S27	111	705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08
S28	56	705/75.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08

S29	392	345/419.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08
S30	9	345/961.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))	USPAT	OR	OFF	2004/08/02 12:08
S31	20	(713/168.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT	OR .	OFF	2004/08/02 12:09
S32	2	(700/95.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT	OR	OFF	2004/08/02 12:09
S33	3	(700/97.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT	OR	OFF	2004/08/02 12:09
S34	0	(700/180.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT	OR	OFF	2004/08/02 12:09

S35	2	(700/231.ccls. AND ((part WITH	USPAT	OR	OFF	2004/08/02 12:09
		(fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))				
S36	2	(703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT	OR	OFF	2004/08/02 12:09
S37	16	(705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT .	OR	OFF	2004/08/02 12:09
S38	16	(705/75.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT	OR	OFF	2004/08/02 12:09
S39	4	(345/419.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT	OR	OFF	2004/08/02 12:10
S40	0	(345/961.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))	USPAT	OR	OFF	2004/08/02 12:10

(Fabricats A OR manufacturs 3 OR processs 33)) OR ((process WITH validats 4) SAME (part WITH (fabricats 4) SAME (part WITH (fabricats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process 53))) AND ((authorize OR authorization)) WITH (user OR operator OR vendor OR button OR selection))) OR ((700/95-cds. AND ((part WITH (fabricats 4) OR manufacturs 3 OR process SITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process SITH validats 5) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 5) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process 33))) AND ((process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process 33))) AND (authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND ((part WITH (fabricats 4) OR manufacturs 3 OR process 33))) AND ((part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 4 OR manufacturs 3 OR process 3)))) AND ((authorize OR authorization)) WITH (user OR operator OR vendor OR button OR selection)) or ((700/231.ccls. AND ((part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) SAME (part WITH (fabricats 4) OR manufacturs 3 OR process WITH validats 4) OR manufacturs 4 OR m	S41	63	((713/168 ccls AND ((nart WITH	USPAT	OR	OFF	2004/08/02 12:11
process\$3)) OR ((process WITH validats) SAME (part WITH (fabricats) ASME (part WITH (fabricats) ASME (part) OR (part WITH (fabricats))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)) OR ((pos)Sc.cis. AND ((part WITH (fabricats) ASME (part WITH (fabricats) ASME (part WITH (fabricats) OR process\$3)))) AND ((process WITH validats) OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700)97.ccis. AND (part WITH (fabricats) OR manufactur\$3 OR process\$3))) OR ((process WITH validats) OR process\$3))) OR ((process WITH validats) OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or (700/190.ccis. AND ((part WITH (fabricats) OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or (700/190.ccis. AND ((part WITH (fabricats) OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or (700/190.ccis. AND (part WITH (fabricats) OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or (700/190.ccis. AND (part WITH (fabricats) OR process\$3)))) AND (authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or (700/190.ccis. AND (part WITH (fabricats) OR process\$3))) AND (authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or (700/190.ccis. AND (part WITH (fabricats) OR process\$3))) AND (authorize OR authorization) WITH (user OR operator OR vendor	241	63	((713/168.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR	USPAT			2007/00/02 12:11
validats4) SAME (part WTTH (fabricats4) OR manufacturs3 OR process\$3)))), AND ((authorize OR authorization), WTTH (user OR operator OR vendor OR button OR selection))) OR ((700/95-ccis. AND ((part WTTH (fabricats4) SAME (part WTTH (user OR operator OR vendor OR button OR selection))) or ((700/97-ccis. AND ((part WTTH (fabricats4) OR manufacturs3 OR process\$3))) OR ((process WTTH validats4) SAME (part WTTH (fabricats4) SAME (part WTTH (fabricats4) SAME (part WTTH (fabricats4) OR manufacturs3 OR process\$3)))) AND ((authorize OR authorization) WTTH (user OR operator OR vendor OR button OR selection)) or ((700/180-ccis. AND ((part WTTH (fabricats4) OR manufacturs3 OR process\$3))) OR ((process WTTH validats4) SAME (part WTTH (fabricats4) OR manufacturs3 OR process\$3)))) AND ((authorize OR authorization) WTTH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccis. AND ((part WTTH (fabricats4) OR manufacturs3 OR process\$3)))) AND ((authorize OR authorization) WTTH (user OR operator OR vendor OR button OR selection))) or ((700/121.ccis. AND ((part WTTH (fabricats4) OR manufacturs3 OR process\$3)))) AND ((authorize OR authorization) WTTH (user OR operator OR vendor OR button OR selection))) or (703/1.ccis. AND ((part WTTH (fabricats4) OR manufacturs3 OR process\$3))))) AND ((authorize OR authorizaton) WTTH (user OR operator OR vendor OR button OR selection)) or ((705/27.ccis. AND ((part WTTH (fabricats4) OR manufacturs3 OR process\$3))) OR (process WTTH validats4) SAME (part WTTH (fabricats4) OR manufacturs3 OR process\$3))) OR (process WTTH validats4) SAME (part WTTH (fabricats4) OR manufacturs3 OR process\$3))) OR (process WTTH validats4) SAME (part WTTH (fabricats4) OR manufacturs3 OR process\$3))) OR (process WTTH validats4) OR manufacturs3 OR process\$3)) OR (process WTTH valid			· ·				
process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) OR ((700/95.ctcl. AND ((part WITH (fabricats4 OR manufacturs3 OR process\$3))))) (part WITH (fabricats4 OR manufacturs3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/97.ccls. AND ((part WITH (fabricats4 OR manufacturs3 OR process\$3))) OR ((process WITH validats4) SAME (part WITH (fabricats4 OR manufacturs3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND ((part WITH (fabricats4) SAME (part WITH (fabricats4) OR manufacturs3)))) AND ((cuthorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND ((part WITH (fabricats4 OR manufacturs3) OR process\$3)))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND ((part WITH (fabricats4 OR manufacturs3) OR process\$3)))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND (part WITH (fabricats4 OR manufacturs3) OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND (part WITH (fabricats4 OR manufacturs3) OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/25.ccls. AND (part WITH (fabricats4 OR manufacturs3) OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricats4 OR manufacturs3) OR process\$3)))) OR ((process WITH validats4) SAME (part WITH (fabricats4 OR manufacturs3) OR process\$3))) OR ((process WITH validats4) SAME (part WITH (fabricats4 OR manufacturs3) OR process\$3))) OR ((process WITH validats4) SAME (part WITH (fabricats4 OR manufacturs3) OR process\$3)))) OR ((process WITH validats4) SAM			. ,,				
authorization) WITH (user OR operator OR vender OR button OR selection))) OR ((700/95.ccls. AND ((part WITH (fabricats) AND ((part WITH (fabricats) OR manufacturs) OR process\$3)) OR ((process WITH validats) SAME (part WITH (fabricats) OR manufacturs) OR process\$3))))) AND (cluthorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/97.ccls. AND ((part WITH (fabricats) OR manufacturs) OR process\$3)) OR ((process WITH validats) SAME (part WITH (fabricats) OR manufacturs) OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/9180.ccls. AND ((part WITH (fabricats) OR process))))) AND ((authorize OR authorization) WITH (fabricats) OR process WITH validats) SAME (part WITH (fabricats) OR process)))) AND ((cluthorize OR authorization) WITH (user OR operator OR vendor OR or vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricats) OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR or selection))) or ((700/31.ccls. AND ((part WITH (fabricats) OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/31.ccls. AND (part WITH (fabricats) OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND (part WITH (fabricats) OR process\$3)))) OR (process WITH validats) SAME (part WITH (fabricats) OR process\$3))) OR (process WITH validats) OR pr			(fabricat\$4 OR manufactur\$3 OR				
operator OR vendor OR button OR selection))) OR ((700/95 ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/97 ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((70/180 ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((porcess WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (process\$3))) OR ((process WITH validat\$4 OR manufactur\$3 OR process\$3))) OR (process\$3))) OR ((process WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR (process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) OR manufactur\$3 OR process\$3)))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((process WITH validat\$4) OR manufactur\$3 OR process\$3)))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) OR manufactur\$3 OR process\$3))) OR ((process WITH Validat\$4) OR manufactur\$3 OR process\$3))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((part WITH (fabricat\$4 OR manu			process\$3))))) AND ((authorize OR				
selection))) OR ((700/95.cds. AND ((part WITH (fabricats) OR process\$3)) OR ((process WITH validats) SAME (part WITH (fabricats) OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/97.cds. AND ((part WITH (fabricats) OR process\$3))) OR ((process WITH validats) SAME (part WITH (fabricats) OR manufactur(3) OR process(3))) OR ((process WITH validats) SAME (part WITH (fabricats) OR manufactur(3) OR process(3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.cds. AND ((part WITH (fabricats) OR process(3))))) AND ((quattor) OR vendor OR or (quattor) OR							
((part WITH (fabricats) OR manufactur\$3 OR process\$3)) OR ((process WITH validats) SAME (part WITH (fabricats) OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/97.ccts. AND ((part WITH (fabricats) OR (port WITH validats) SAME (part WITH validats) SAME (part WITH (fabricats) OR (port WITH (fabricats) OR (process WITH validats) SAME (part WITH (fabricats) OR (process WITH validats) SAME (part WITH (fabricats) OR (process WITH validats) OR operator OR vendor OR button OR selection))) or ((700/180.ccts. AND ((part WITH (fabricats) OR manufactur\$3 OR process\$3))) OR ((process WITH validats) SAME (part WITH (fabricats) OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccis. AND (process WITH validats) SAME (part WITH (fabricats) OR manufactur\$3 OR process\$3))) OR ((process WITH validats) SAME (part WITH (fabricats) OR manufactur\$3 OR process\$3)))) NR ((process WITH validats) SAME (part WITH (fabricats) OR port W							
manufacturs3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700)97.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.cds. AND (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))OR ((700/231.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))OR ((process WITH validat\$4) SAME (part WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.cds. AND ((part WITH (labricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process			***				
((process WITH validats4) SAME (part WITH (fabricats4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/97.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((707/270/270.cs. AND ((part WITH (fabricat\$4 OR manufactur\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR (OR (process WITH va							. 0
(part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/97.ccts. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccts. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR vendor OR button OR selection))) or ((700/231.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR (process\$3))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (process WITH validat\$4) SAME (part WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccis. AND (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR (process\$3))) OR (process WITH validat\$4) SAME (part WITH (process WI			, , , , , , , , , , , , , , , , , , , ,				
manufacturs 3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((/700/97.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.cds. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR vendor OR button OR selection))) AND ((authorize OR vendor OR button OR selection))) or ((705/2.cds. AND) ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR vendor OR button OR selection))) or ((705/2.cds. AND) ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR vendor OR button OR selection)) or ((705/2.cds. AND) ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH			1 ***				
AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/97.ccis. AND ((part WITH (fabricat44 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR operator OR vendor OR button OR selection))) or ((703/1.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR (process\$3))			• • •				
WITH (user OR operator OR vendor OR button OR selection))) or ((700/97.ccis. AND ((part WITH (fabricat) OR anutority)) or (part WITH (fabricat) OR process))) OR ((process WITH validat)) SAME (part WITH (fabricat) OR process)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccis. AND ((part WITH (fabricat)) OR ((process WITH validat)) SAME (part WITH (fabricat)) OR ((process WITH validat)))) AND ((part WITH (fabricat))) OR ((process WITH validat))) AND ((part WITH (fabricat))) OR ((process WITH validat))) OR ((process WITH validat)) OR (part WITH (fabricat)) OR (process)))) OR ((700/231.ccis. AND ((part WITH (fabricat))) OR ((700/231.ccis. AND ((part WITH (fabricat))) OR ((process WITH validat)) AND ((part WITH (fabricat)) OR process(33)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccis. AND ((part WITH (fabricat)) OR (process)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccis. AND ((part WITH (fabricat)) OR (part WITH (fabricat))) OR ((part WITH (fabricat)) OR ((part WITH (fabricat)) OR ((part WITH (fabricat))) OR (part WITH (fabricat)) OR (part WITH (part WITH (part WITH (part WITH)) OR (part WITH (part WITH				,			
OR button OR selection))) or ((700/97.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization)) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((gathorize OR authorization) WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR vendor OR button OR selection))) or ((705/27.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4) OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4) OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4) OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4) OR manufactur\$3 OR process\$3)) OR (process\$3)) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4) OR manufactur\$3 OR process\$							
(fabricats4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.cs. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((cpart WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$31)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$31)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$33)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$33)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$33)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$33)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$5 OR process\$33)) OR ((process WITH) validat\$4) SAME (part WITH) (fabricat\$4 OR manufactur\$5 OR process\$33)) OR (process WITH)							
process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls, AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls, AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls, AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((port WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((port WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((port WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls, AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((port WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR button OR button OR Selection))) or ((705/27.ccls, AND ((port WITH (authorize OR authorization) WITH (user OR operator OR button OR Selection))) or ((705/27.ccls, AND ((port WITH (authorize OR authorization) WITH (user OR operator OR button OR Selection))			((700/97.ccls. AND ((part WITH				
validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4\) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4\) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4\) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccis. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) ARD ((authorize OR authorization) WITH (user OR Search History 2/9/05.30044.PMB (204thorize OR authorization) WITH (user OR	1						
(fabricats or Ranufacturs OR process (fabricats))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND ((part WITH (fabricats or Ranufacturs or Ranufact			, ,,				
process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR wendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR wendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR wendor OR button OR selection))) or ((705/27.ccls. AND (part WITH (user OR operator OR wendor OR operator OR							
authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/180.ccls. AND) ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.cdls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((uthorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (validat\$4) SAME (part WITH (validat\$4) SAME (part WITH (validat\$4) SAME (part WITH validat\$4) SAME (part WITH (validat\$4) SAME (par							
operator OR vendor OR button OR selection))) or ((700/180.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((part WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR perator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR perator) OR perator OR vendor OR button OR perator OR vendor OR perator WITH (user OR perator WITH (user OR perator)))) or (user OR perator))) or (user OR perator) or vendor OR perator WITH (user OR perator) or vendor OR perator OR perator OR perator OR perator OR perator OR							
selection))) or ((700/180.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR							
((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR (process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) OR (part WITH (pabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR op			•				
manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) AND ((authorize OR authorization) WITH (user OR							•
(part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR			, ,,,				
manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) AND ((authorize OR authorization) WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (seer OR			((process WITH validat\$4) SAME				
AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR search #istory 2/9/05.33(0)&417Mb, (2002-0) puttor OR Search #istory 2/9/05.33(0)&417Mb, (2002-0) puttor OR Search #istory 2/9/05.33(0)&417Mb, (2002-0) puttor OR			l **				
WITH (user OR operator OR vendor OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR perocess\$3))))) AND ((authorize OR authorization) WITH (user OR process\$3))))) AND ((authorize OR authorization) WITH (user OR process\$3))))) AND ((authorize OR authorization) WITH (user OR process\$3)))) AND ((authorize OR authorization) WITH (user OR authorization) W							•
OR button OR selection))) or ((700/231.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR part WITH (fabricat\$4 OR manufactur\$4 OR part WITH (fabricat\$4 OR manufactur\$5 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR part WITH (fabricat\$4 OR manufactur\$4 OR part WITH (fabricat\$4 OR manufactur\$5 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR part WITH (user							
((700/231.ccls. AND ((part WITH							
(fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) with validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR De vendor OR button OR selection))) and (authorize OR authorization) with validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR De vendor OR button OR De vendor OR button OR De vendor OR De							
process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05.3:00:41.PMb, 280@.5 OR button OR			, , , , , , , , , , , , , , , , , , , ,				
validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05,3:00;41.PMb, 1200.PM			, ,				
process\$3)))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR process\$3))))) AND ((authorize OR authorization) WITH (user OR process\$3))))) AND ((authorize OR authorization) WITH (user OR button OR button) WITH (user OR authorization) WITH (user OR button) WITH (user OR			, ,, ,,				
authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05.3;00;81.PMb, 1280.5; OR button OR			(fabricat\$4 OR manufactur\$3 OR				
operator OR vendor OR button OR selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:00:\$41.PMb, 2808-5 OR button OR							
selection))) or ((703/1.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05_3;00:\$4,PMb, Page 5 OR button OR			, ,				
((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)))) AND ((authorize OR authorization) WITH (user OR authorization) WITH (user OR button OR bu			I •				
manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05_3:90:64_PMb_280e_5 OR button OR							
((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:00:841-PMb , 1200-55 OR button OR							
(part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:00:41-PMb, Page-5 OR button OR			1				
manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH			1 ***				
AND ((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection))) or ((705/27.ccls. AND ((part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:00:41-PMb (Page-5 OR button OR			1 **				
OR button OR selection))) or ((705/27.ccls. AND ((part WITH			AND ((authorize OR authorization)				
((705/27.ccls. AND ((part WITH			, ,				
(fabricat\$4 OR manufactur\$3 OR process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:00:41-PMb - Page-5 OR button OR			1				
process\$3)) OR ((process WITH validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:00:41-PMb - Page-5 OR button OR							
validat\$4) SAME (part WITH (fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:00:41-PMb (Page-5 OR button OR			,				
(fabricat\$4 OR manufactur\$3 OR process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:00:41-PMb /Page-5 OR button OR							
process\$3))))) AND ((authorize OR authorization) WITH (user OR Search History 2/9/05-3:90:41-PMb - Page-5 OR button OR				1			
authorization) WITH (user OR Search History 2/9/05-3:00:41-PMb (Page-5 OR button OR			, · · · · · · · · · · · · · · · · · · ·				
Search History 2/9/05-3:00:41-PMb JPage-5 Op hutton OP			authorization) WITH (user OR				
Selection))) of ((705/75.ccls. AND	Search His	story 2/9/0	15-3:00:41-PMb (Page-5 Op hutton Op		1		
	C. WAPPS/I	-voi (Molks)	ຶ່ງຮ້ອງອຸດຕາມ (ການ 1970) (ການ 19				
			<u> </u>	1	į	l	l

				,		
S42	440	(digital ADJ2 signature) WITH (authorization OR authoriz\$4 OR validate OR validation)	USPAT	OR	OFF	2004/08/03 13:36
S43	29	((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)) SAME ((digital ADJ2 signature) WITH (authorization OR authoriz\$4 OR validate OR validation))	USPAT	OR	OFF	2004/08/03 13:36
S44	11	part WITH (fabricat\$4 OR manufactur\$3 OR process\$3) AND (((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)) SAME ((digital ADJ2 signature) WITH (authorization OR authoriz\$4 OR validate OR validation)))	USPAT	OR	OFF	2004/08/03 13:37
S45	1	"6138104".pn. AND signature	USPAT	OR	OFF	2004/08/03 13:48
S46	9580	digital WITH signature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/09 10:04
S47	261352	part WITH (fabricat\$4 OR manufactur\$3 OR process\$3)	USPAT	OR	OFF	2005/02/09 10:12
S48	75	((authorize OR authorization) WITH (user OR operator OR vendor OR button OR selection)) SAME S47	USPAT	OR	OFF	2005/02/09 10:13
S49	0	S46 SAME S48	USPAT	OR	OFF	2005/02/09 10:13
S50	16	S46 AND S48	USPAT	OR	OFF	2005/02/09 11:09
S51	16	("4964043" "5278751" "5321841" "5444844" "5644493" "5664115" "5715402" "5761661" "5794207" "5802502" "5815683" "5838906" "5844553" "5848427" "5862223" "5940082").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/09 10:35
S52	11	("6295513").URPN.	USPAT	OR	OFF	2005/02/09 10:56
S53	4	"5644493".pn. OR "6807451".pn. OR "6741265".pn. OR "6684212". pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/09 11:04
S54	0	S46 AND S53	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/09 11:00
S55	0	S48 AND S53	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/09 11:00
S56	3	"6295513".pn. OR "6741265".pn. OR "6684212".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/09 11:20

S57	9	S46 SAME (legal WITH contract)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/09 11:21
S58	7	S57 AND (manufacture OR manufacturing OR processing OR procedure)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/09 11:26
S59	3	S57 AND (manufacture OR manufacturing OR procedure)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/09 11:26